

## WHAT IS CLAIMED IS:

Sub A  
1. An operation screen simple-creating system for creating an operation screen used for a remote controlling terminal that remotely controls a terminal connected to a communication line, comprising:

a paste-up information receiving unit for receiving paste-up information to paste on the operation screen;

a paste-up information setting unit for setting the position and size of said paste-up information to be pasted on the operation screen; and

an operation screen creating unit for creating a new operation screen according to the result of the setting set by said paste-up information setting unit.

2. The operation screen simple-creating system as claimed in claim 1, wherein said paste-up information receiving unit includes at least one of an image data reading unit for receiving image data and a text data receiving unit for receiving text data.

3. The operation screen simple-creating system as claimed in claim 1, wherein said paste-up information receiving unit reads out said paste-up information from a file recorded in a connected external memory device to be communicated from the remote controlling terminal.

4. The operation screen simple-creating system as claimed in claim 1, wherein said paste-up information setting unit undertakes an automatic positioning setting process for coinciding a barycenter of said paste-up information received by said paste-up information receiving unit with a predetermined point on the operation screen.

5. The operation screen simple-creating system as claimed in claim 4, wherein said automatic positioning setting process is conducted when said paste-up information is moved to the amount of a predetermined ratio in a predetermined position on the operation screen in which said paste-up information is to be pasted.

6. The operation screen simple-creating system as claimed in claim 1, wherein said operation screen creating unit creates a plurality of the operation screens all together, having different designs based on a common setting value relating to a position, size, and direction of said paste-up information.

7. The operation screen simple-creating system as claimed in claim 1, further comprising a paste-up information storing unit connecting to said communication line, said paste-up information storing unit connecting to and communicating with a plurality of said remote controlling terminals for storing therein a setting value relating to a position, size and direction of said paste-up information set by said paste-up information setting unit, wherein the operation screen of said plurality of remote controlling terminals is updated in accordance with said setting value of said paste-up information stored in said paste-up information storing unit.

8. An operation screen simple creating method for creating an operation screen used for a remote controlling terminal that remotely controls a terminal connected to a communication line, comprising:

receiving paste-up information to paste on the operation screen;

setting the position and size of said paste-up information to be pasted on the operation screen; and

creating a new operation screen according to the setting set by said paste-up information setting unit.

9. The operation screen simple creating method as claimed in claim 8, wherein said receiving includes at least either receiving image data or receiving text data.

10. The operation screen simple creating method as claimed in claim 8, wherein said receiving reads out said paste-up information from a file recorded in a connected external memory device to be communicated from the remote controlling terminal.

11. The operation screen simple creating method as claimed in claim 8, wherein said setting undertakes an automatic positioning setting for coinciding a barycenter of said paste-up information received by said paste-up information receiving unit with a predetermined point in the operation screen.

12. The operation screen simple creating method as claimed in claim 11, wherein said automatic positioning setting is conducted when said paste-up information is moved to the amount of a predetermined ratio in a predetermined position on the operation screen in which said paste-up information is to be pasted.

13. The operation screen simple creating method as claimed in claim 8, wherein said creating creates a plurality of the operation screens all together, having different designs based on a common setting value relating to a position, size, and direction of said paste-up information.

14. The operation screen simple creating method as claimed in claim 8, further comprising storing in said paste-up information storing unit connected to said communication line a setting value relating to a position, size, and direction of said paste-up information set by said paste-up information setting unit, the

operation screen simple creating method updating the operation screen of said plurality of remote controlling terminals by using said setting value of said paste-up information stored in said paste-up information storing unit.

15. A recording medium that stores a program for creating an operation screen used for a remote controlling terminal that remotely controls a terminal connected to a communication line, the program comprising:

receiving paste-up information to paste on the operation screen;

setting the position and size of said paste-up information to be pasted on the operation screen; and

creating the new operation screen according to the setting set by said paste-up information setting unit.

16. The recording medium as claimed in claim 15, wherein said receiving includes at least either receiving image data or receiving text data.

17. The recording medium as claimed in claim 15, wherein said receiving reads out said paste-up information from a file recorded in a connected external memory device to be communicated from the remote controlling terminal.

18. The recording medium as claimed in claim 15, wherein said setting undertakes an automatic positioning setting for coinciding a barycenter of said paste-up information received by said paste-up information receiving unit with a predetermined point in the operation screen.

19. The recording medium as claimed in claim 18, wherein said

automatic positioning setting is conducted when said paste-up information is moved to the amount of a predetermined ratio in a predetermined position on the operation screen in which said paste-up information is to be pasted.

20. The recording medium as claimed in claim 15, wherein said creating creates a plurality of the operation screens all together, having different designs based on a common setting value relating to a position, size, and direction of said paste-up information.

21. The recording medium as claimed in claim 15, the program further comprising storing in said paste-up information storing unit connected to said communication line a setting value relating to a position, size, and direction of said paste-up information set by said paste-up information setting unit, the program updating the operation screen of said plurality of remote controlling terminals by using said setting value of said paste-up information stored in said paste-up information storing unit.

22. An operation screen simple-creating system, comprising:

an operation screen operably connecting to a remote controlling terminal connecting to a communication line;

a paste-up information section;

a screen arrangement section having an input side connecting to said paste-up information section and an output side connecting to said operation screen, said screen arrangement section being operated through a user's manipulation to automatically coincide a barycenter of paste-up information inputting from said paste-up information section with a predetermined point on said operation screen.

Add A3